

Page 1

ATTACHMENT A

- 1. (original) A planar implant comprising a planar support with two faces, at least one face of the support being provided with an absorbable adhesive layer which is able to adhere to human or animal tissue.
- 2. (original) The implant as claimed in claim 1, characterized in that the adhesive layer is essentially formed from at least one polymer which carries free aldehyde groups and whose aldehyde groups are able to react with nucleophilic groups of the tissue, and it in particular has anti-infective properties.
- 3. (previously presented) The implant as claimed in claim 1, characterized in that the adhesive layer at least partially covers, preferably completely covers, the at least one face of the support.
- 4. (previously presented) The implant as claimed in claim 1, characterized in that the adhesive layer is designed to cover the planar support only around the edges and/or to protrude beyond the edges of the planar support.
- 5. (previously presented) The implant as claimed in claim 1, characterized in that the adhesive layer is provided on both faces of the support.
- 6. (previously presented) The implant as claimed in claim 1, characterized in that the support has an adhesive layer on one face and preferably has an anti-adhesive layer on the other face.
- 7. (original) The implant as claimed in claim 6, characterized in that the anti-adhesive layer has a closed and in particular smooth surface.

Page 2

ATTACHMENT A

- 8. (previously presented) The implant as claimed in claim 1, characterized in that the adhesive layer is designed as an open layer and is in particular absorbent.
- 9. (previously presented) The implant as claimed in claim 1, characterized in that the adhesive layer is hydrophilic and in particular is able to take up aqueous fluids by swelling.
- 10. (previously presented) The implant as claimed in claim 1, characterized in that the adhesive layer is present in the form of a nonwoven, in particular a three-dimensional nonwoven.
- 11. (previously presented) The implant as claimed in claim 1, characterized in that the adhesive layer is present in the form of an open-cell foam.
- 12. (previously presented) The implant as claimed in claim 2, characterized in that the polymer carrying aldehyde groups is soluble in water.
- 13. (currently amended) The implant as claimed in in claim 2, characterized in that the polymer carrying aldehyde groups is an oxidized, in particular bioabsorbable polysaccharide.
- in claim 13, claimed (original) The implant as 14. characterized in that the oxidized polysaccharide is one from the group comprising starch, cellulose, acid, aldehyde, hyaluronic alginic acid, dextran chondroitin sulfate, and preferably dextran polyaldehyde.
- 15. (original) The implant as claimed in claim 14, characterized in that the proportion of glucose units oxidized to the aldehyde in the dextran polyaldehyde is

Page 3

ATTACHMENT A

at least 20%, preferably 35 to 100%, in particular 50 to 85%.

- 16. (previously presented) The implant as claimed in claim 2, characterized in that the polymer carrying aldehyde groups is an in particular branched polyethylene glycol with at least three terminal aldehyde groups.
- 17. (previously presented) The implant as claimed in claim 2, characterized in that the polymer carrying aldehyde groups is an in particular branched polyvinyl alcohol with at least three terminal aldehyde groups.
- 18. (previously presented) The implant as claimed in claim 2, characterized in that the at least one polymer carrying aldehyde groups is partially cross-linked.
- 19. (previously presented) The implant as claimed in claim 1, characterized in that the adhesive layer has a structured surface on its outer face.
- 20. (previously presented) The implant as claimed in claim 1, characterized in that the planar support is porous and flexible, and in particular is formed from a textile material.
- 21. (previously presented) The implant as claimed in claim 1, characterized in that the support, in particular the textile support, is at least partially absorbable, in particular completely absorbable.
- 22. (previously presented) The implant as claimed in claim 1, characterized in that one face of the support is provided with at least one anti-adhesive layer which is preferably absorbable.

Page 4

ATTACHMENT A

- 23. (original) The implant as claimed in claim 21, characterized in that the anti-adhesive layer contains polyvinyl alcohol and/or carboxymethylcellulose, and in particular consists of polyvinyl alcohol.
- 24. (previously presented) The implant as claimed in claim 1, characterized in that it is designed as a hernia mesh having the adhesive layer on the face which is intended to bear on the abdominal wall, and in that the other face of the hernia mesh preferably has at least one layer which is designed as an anti-adhesive layer and prevents adhesion of body tissue to the mesh.
- 25. (previously presented) The implant as claimed in claim 1, characterized in that it is designed as a patch which has the adhesive layer on at least one face.
- 26. (currently amended) The implant as claimed in claim 2, claim 1, characterized in that it is present as a tube section which is designed for connection of tubular hollow organs.
- 27. (previously presented) Provision of the implant as claimed in claim 1, for an internal application in an organism, in particular in the area of wounds.
- 28. (original) Provision of the implant as claimed in claim 27, the planar support being connected on both faces to an adhesive layer for apposition of vertical and horizontal tissue layers, the planar implant preferably being absorbable.